

SAFETY DATA SHEET

Part No. 89201

Print Date: 01/22/19
Revision Date: N/A
Supersedes Date: N/A
Issue Date: 1/22/19
Version: 1.0 (EN)-US
Page: 1/7

Trick Shot - Aerosol

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 1 - IDENTIFICATION

1.1 Product Identifier

Product Name : Trick Shot - Aerosol
Manufacturer Product Number : 89201
Other Manufacturer Ids : TSPL100, TSPL120

1.2 Other Means of Identification

Other Identifiers : 100% Biodegradable Methyl Soyate Plus.

1.3 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Recommended Use : High performance penetrating lubricant that unlocks seized parts, prevents & breaks rust loose, fights corrosion, lubricates, protects, and removes adhesives, grim, tar.
Restrictions on Use : None Identified

1.4 Supplier Details

	Manufacturer Details	Supplier Details
Company Name	BRL Solutions	STAAR Lubricants, LLC
Address	99 Wetmore Ave. Kane, PA 16735	560 Myrtle Street, Reynoldsville, PA 15851
Phone Number	814-512-0750	814-612-2115
Fax Number	866-813-5858	814-612-2059
Email		
Website		itdoesthetrick.com

1.5 24 hr Emergency Phone Number

Emergency Number : 1-800-255-3924
Chem-Tel


SECTION 2 - HAZARDS IDENTIFICATION

EMERGENCYOVERVIEW - CONTENTS UNDER PRESSURE.

STORE BELOW 120°F, OUT OF SUNLIGHT, AND AWAY FROM HEAT SOURCES. DO NOT PUNCTURE OR INCINERATE.

*This product is a "hazardous chemical" as defined by 29 CFR 1910.1200 due to being under pressure.
Liquid contents are not hazardous as defined by the OSHA standard.*

2.2 Label Elements



2.3 Other Hazards Which Do Not Result In Classification

Hazards Not Otherwise Classified : None Identified.

2.4 Unknown acute toxicity

100% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral)
100% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)
100% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Vapours))



SAFETY DATA SHEET

Part No. 89201

Print Date: 01/22/19
Revision Date: N/A
Supersedes Date: N/A
Issue Date: 1/22/19
Version: 1.0 (EN)-US
Page: 2/7

Trick Shot - Aerosol

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Substance / Mixture

Substance / Mixture : Mixture

3.2 Composition

Substance name	CAS Number	% wt*	Classification
Soybean Oil	067784-80-9		Not classified
Nitrogen	007727-37-9		Not classified

Full text of hazard classes and H-statements : see section 16

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

SECTION 4 - FIRST-AID MEASURES

4.1 Description of First-Aid Measures

General Measures : If exposed or concerned: Get medical advice/attention.
Inhalation : Remove to fresh air. Seek medical attention if symptoms persist or if unconscious.
Skin Contact : Remove with soap and water, rinsing and repeating for 15 minutes. Use skin cream to counter any resulting dryness. Consult a physician if irritation continues.
Eye Contact : Flush with clear water for at least 15 minutes, including under the eyelids. Consult a doctor if irritation continues.
Ingestion : Not normally required. However, if irritation or other symptoms develop, seek medical attention.
First-Aid Responder Protection : Wear adequate personal protective equipment based on the nature and severity of the emergency.

4.2 Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms of Exposure : None Identified.
Delayed Effects : No known delayed effects.
Immediate Effects : No known immediate effects.
Chronic Effects : No known chronic effects.
Target Organs : None Identified.

4.3 Indication of Immediate Medical Attention and Special Treatment

Notes to Physician : Treat symptomatically.
Specific Treatments/Antidotes : No Information Available.
Medical Conditions Aggravated : May aggravate personnel with pre-existing disorders associated with any of the Target Organs.

SECTION 5 - FIRE-FIGHTING MEASURES

5.1 Suitable Extinguishing Media

Extinguishing Media : Water, CO₂, dry chemical, or universal aqueous film forming foam
Unsuitable Media : Avoid extinguishing media unsuitable for surrounding materials.

5.2 Specific Hazards Arising from the Chemical or Mixture

Hazardous Combustion Products : Oxides of carbon (CO, CO₂) and smoke
Specific Hazards During Firefighting : Contents are non-flammable. No known fire hazards.

5.3 Special Protective Actions for Fire-Fighters

Firefighting Instructions : Use water spray to cool fire exposed containers, as contents can rupture violently from heat developed pressure.
Protection during Firefighting : Firemen should wear self-contained breathing apparatus with full face-piece operated in positive pressure mode.



SAFETY DATA SHEET

Part No. 89201

Print Date: 01/22/19
Revision Date: N/A
Supersedes Date: N/A
Issue Date: 1/22/19
Version: 1.0 (EN)-US
Page: 3/7

Trick Shot - Aerosol

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6 - ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions, Protective Equipment and Emergency Procedures

- For Non-Emergency Personnel** : No action should be taken involving any personnel without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering.
- For Emergency Personnel** : Use personal protection as recommended in Section 8. Observe precautions provided for non-emergency personnel above.

6.2 Environmental Precautions

- Environmental Precautions** : Keep out of drains, sewers, ditches, and waterways. Minimize use of water to prevent environmental contamination.

6.3 Methods and Materials for Containment and Cleaning up

- Containment Procedures** : Product is an aerosol, therefore spills and leaks are unlikely. In case of rupture, released content may be contained with oil/solvent absorbent pads, socks, and/or absorbents.
- Cleanup Procedures** : Spills from aerosol cans are unlikely and are generally of small volume. Large spills are therefore not normally considered a problem. In case of actual rupture ventilate area well. Soak up material with inert absorbent and place in safety containers for proper disposal.
- Other Information** : Aerosol products represent a limited hazard and will not spill or leak unless ruptured. In case of rupture contents are generally evacuated from the can rapidly. Area should be ventilated immediately and continuous ventilation provided until all fumes and vapors have been removed. Aerosol cans should never be incinerated or burned. See Section 13 for disposal.
- Prohibited Materials** : Combustible absorbent material such as sawdust. Use of equipment that may cause sparking.

SECTION 7 - HANDLING AND STORAGE

7.1 Precautions for Safe Handling

- General Handling Precautions** : KEEP OUT OF THE REACH OF CHILDREN. Avoid prolonged or repeated skin contact. Do not incinerate (burn) containers. Always replace overcap when not in use. Avoid use around open flames. Exposure to heat or prolonged exposure to sun may cause can to burst. Use with adequate ventilation. Wash hands after use.
- Hygiene Recommendations** : Do not eat, drink or smoke when using this product. Wash hands thoroughly after use.

7.2 Conditions for Safe Storage Including Any Incompatibilities

- Storage Requirements** : Storage of individual cans should be done in an area below 120 °F (55 °C), and away from heat sources. Ensure can is in a secure place to prevent knocking over and accidental rupture. For storage of pallet quantities, compliance with NFPA 30B (Manufacture and Storage of Aerosol Products) is recommended. This product is classified as a Level 3 Aerosol.
- Incompatibilities** : Segregate storage away from materials indicated in Section 10.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control Parameters

Occupational Exposure Limits – N/E

United States OSHA PEL – 5000 ppm, United States NIOSH REL – 5000 ppm, United States NIOSH IDLH – 40000 ppm, United States ACGIH TLV – 5000 ppm
Canada Alberta OEL – 5000 ppm, Canada BC TWA – 5000 ppm, Canada Ontario TWAEV – 5000 ppm, Canada Quebec TWA – 5000 ppm, Mexico MPEL-PTA – 5000 ppm

8.2 Exposure Controls

- Engineering Measures** : General ventilation (typically 10 air changes per hour) should be used. Match rate to conditions.
- Personal Protective Equipment**
- Eye / Face Protection** : Safety glasses with side shields are recommended as a minimum for any type of industrial chemical handling.
 - Hand Protection** : Chemical-resistant gloves, tested according to ASTM F903-17.
 - Remarks** : Change gloves often.
 - Skin and Body Protection** : For brief contact, no precautions other than clean body-covering clothing should be needed. When prolonged or repeated contact could occur, use protective clothing.



SAFETY DATA SHEET

Part No. 89201

Print Date: 01/22/19
Revision Date: N/A
Supersedes Date: N/A
Issue Date: 1/22/19
Version: 1.0 (EN)-US
Page: 4/7

Trick Shot - Aerosol

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Respiratory Protection	: An approved respirator with an organic vapor cartridge may be permissible under certain circumstances where airborne concentrations are expected to exceed occupational exposure limits or otherwise cause irritation.
Compliance	: If needed, compliance with OSHA standard 29 CFR 1910.134 is necessary.
Other Protective Equipment	: Safety showers and eye-wash stations should be available in the workplace near where the material will be used.
Environmental Exposure Controls	: Avoid release to the environment.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

9.1 Physical Properties

Boiling Point	>392°F (200°C)	Melting / Freezing Point	< 23 °F (-5 °C)
Flash Point, Liquid	>266°F (130°C)	Flash Point, Propellant	None
Explosive Limits	Not Available	Autoignition Temperature, Liquid	445.00 °C
Flammability	Non-Flammable Liquid	Density	0.885 g/cm ³
Molecular Weight	Not Available	Weight	7.386 lbs/gal
Vapor Pressure	< 1 mm Hg @ 20 °C	pH	Not Available
Vapor Density	> 1.0	Evaporation Rate (nBAC=1)	0.0098
Viscosity	3.9 to 4.3 mm 2/sec	Partition Coefficient (Log Pow)	Not Available
Odor Threshold	Not Available	Refractive Index	Not Available
Physical State	Liquid Under Pressure	Heat Of Combustion	ca. 39.2 MJ/kg
Appearance / Color	Clear to Pale yellow	Water Solubility	Insoluble
Odor	Mild	Decomposition Temperature	Not Available

9.2 Environmental Properties

Percent Volatile	< 5.6 % Wt	VOC Regulatory	0.00 g/L (0.00 lbs/gal)
Percent VOC	0.00 % wt	VOC Actual	< 50.00 g/L (0.00 lbs/gal)
Percent HAP	0.00 % wt	HAP Content	0.00 g/L (0.00 lbs/gal)
Global Warming Potential	0.00 GWP	Maximum Incremental Reactivity	0.0000 g O3/g
Ozone Depletion Potential	0.00 ODP		

SECTION 10 - STABILITY AND REACTIVITY

10.1 Reactivity

Physical Hazards: : Contents under pressure
Conditions of Reactivity: Heat, sparks, flames, red hot metal

10.2 Chemical Stability

Chemical Stability : This product is stable.

10.3 Possibility of Hazardous Reactions

Hazardous Reactions : Under normal conditions of storage and use, hazardous reactions are not expected to occur.

10.4 Conditions to Avoid

Conditions to Avoid : Excessive heat, flames

10.5 Incompatible Materials

Materials to Avoid : Strong Oxidizing Agents, Strong Reducing Agents.

10.6 Hazardous Decomposition Products

Thermal Decomposition : Oxides of carbon



SAFETY DATA SHEET

Part No. 89201

Print Date: 01/22/19
Revision Date: N/A
Supersedes Date: N/A
Issue Date: 1/22/19
Version: 1.0 (EN)-US
Page: 5/7

Trick Shot - Aerosol

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 11 - TOXICOLOGICAL INFORMATION

11.1 Information on Toxicological Effects

Routes Of Exposure	: None Identified.
Delayed and Immediate Effects and Also Chronic Effects from Short and Long Term Exposure	: See Section 4.2
Skin Corrosion/Irritation	: Not classified
Eye Damage/Irritation	: Not classified
Respiratory or Skin Sensitization	: Not classified
Germ Cell Mutagenicity	: Not classified
Reproductive Toxicity	: Not classified
STOT-Single Exposure	: Not classified
STOT-Repeated Exposure	: Not classified
Aspiration Hazard	: Not classified
Carcinogen Data	: None of the ingredients in the product are listed with EU, IARC, or NTP as being suspected or known carcinogen in a concentration greater than 0.1% by weight.

SECTION 12 - ECOLOGICAL INFORMATION

12.1 Ecotoxicity and Ecological Properties

Mobility	Not Available
Persistence and Degradability	Product degrades at the same rate as dextrose sugar.
Bioaccumulation	Not Available
Other Ecologic Data	Not expected to be harmful to aquatic organisms.
Effects on the Ozone Layer	This product does not contain any ozone depleting ingredients.

Soybean Oil (067784-80-9)

Log Kow	22.5
Bioaccumulative Potential	Not bioaccumulative.

SECTION 13 - DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods

Waste Disposal	: Characteristics and waste stream classification can change with product use and location. It is the responsibility of the user to determine the proper storage, transportation, treatment, and/or disposal methodologies for spent materials and residues at the time of disposition. All waste must be disposed of in compliance with the respective national, federal, state, and/or local regulations.
Waste Disposal Of Packaging	: In the United States, an aerosol container that does not contain a significant amount of liquid would meet the definition of scrap metal (40 CFR 261.1(c)(6)), and would be exempt from RCRA regulation under 40 CFR 261.6(a)(3)(iv) if it is to be recycled. If containers are to be disposed of (not recycled) it must be managed under all applicable RCRA and state regulations.
Landfill Precautions	: Not Available.
Incineration Precautions	: ** DO NOT INCINERATE ** CONTENTS UNDER PRESSURE **



SAFETY DATA SHEET






Part No. 89201

Print Date: 01/22/19
Revision Date: N/A
Supersedes Date: N/A
Issue Date: 1/22/19
Version: 1.0 (EN)-US
Page: 6/7

Trick Shot - Aerosol

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14 - TRANSPORTATION INFORMATION

DOT SHIPPING INFORMATION (United States)  PROPER SHIPPING NAME: ... Consumer Commodity HAZARD CLASS: ... ORM-D PACKING GROUP: ... UN or ID NUMBER: ... NAERG NUMBER: ... 171	ICAO/IATA SHIPPING INFORMATION (International Air)  PROPER SHIPPING NAME: ... Consumer Commodity, Limited Quantity HAZARD CLASS: ... 9 PACKAGING GROUP: ... UN or ID NUMBER: ... ID8000 PACKAGING INSTRUCTION: ... Y963
IMDG SHIPPING INFORMATION (International Ocean)  PROPER SHIPPING NAME: ... Aerosols, Limited Quantity CLASS: ... 2.1 PACKAGING GROUP: ... SUBSIDIARY RISK(S): ... UN or ID NUMBER: ... UN1950 PACKING INSTRUCTIONS: ... P003 EmS NO.: ... F-D, S-U STOWAGE: ... Category A MFAG NO.: ... 620	ADR SHIPPING INFORMATION (European Union)  PROPER SHIPPING NAME: ... Aerosols, Limited Quantity ADR CLASS: ... 2 PACKAGING GROUP: ... UN or ID NUMBER: ... UN1950 CLASSIFICATION CODE: ... 5F HAZCHEM CODE: ...
TDG SHIPPING INFORMATION (Canada)  PROPER SHIPPING NAME: ... Aerosols, Limited Quantity HAZARD CLASS: ... 2.1 PACKAGING GROUP: ... UN or ID NUMBER: ... UN1950	NMFC DESCRIPTION (United States) ITEM DESCRIPTION: Compounds Lubricating ITEM NUMBER: 50303 CLASS: 55

SECTION 15 - REGULATORY INFORMATION

15.1 Federal Regulations

- SARA Section 313** : This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.
- TSCA Section 12(b)** : This product or mixture is not known to contain a chemical or chemicals subject to the export notification requirements of section 12(b) of the Toxic Substances Control Act (TSCA) and 40 CFR Part 707, subpart D
- CERCLA Reportable Quantity** : This product or mixture is not known to contain a chemical or chemicals subject to the release reporting requirements of section 102 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

15.2 State Regulations

- California Proposition 65** : This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm
- State Right-to-Know Lists** : The following chemical(s) appear on one or more state RTK (Right to Know) lists as indicated
- | | |
|---------------------------|------------------------------------------------------------|
| Soybean Oil (067784-80-9) | U.S. - Pennsylvania - RTK (Right to Know) List |
| Nitrogen (007727-37-9) | U.S. - New Jersey - Right to Know Hazardous Substance List |

SECTION 16 - OTHER INFORMATION

Indication of changes	:	<table><tr><th>Section</th><th>Changed item</th><th>Change</th></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></table>	Section	Changed item	Change																											
Section	Changed item	Change																														



SAFETY DATA SHEET

Part No. 89201

Print Date: 01/22/19
Revision Date: N/A
Supersedes Date: N/A
Issue Date: 1/22/19
Version: 1.0 (EN)-US
Page: 7/7

Trick Shot - Aerosol

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information contained herein is based upon data provided to us by our suppliers, and reflects our best judgement. However, no warranty of merchantability, fitness for any use, or any other warranty or guarantee is expressed or implied regarding the accuracy of such data, or the results to be obtained from use thereof. Since the information contained herein may be applied under conditions beyond our control and with which we may be unfamiliar, we do not assume any responsibility for the results of such application. This information is furnished upon the condition that the persons receiving it shall make their own determinations of the suitability of the material for any particular use. Although certain hazards are described herein, we cannot guarantee these are the only hazards that exist.