

Methylene Blue Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	: Methylene Blue
CAS-No.	: 61-73-4
Product code	: LC16850
Formula	: C16H18N3S.Cl
Synonyms	: 3,7-bis(dimethylamino)phenazathionium chloride / 3,9-
	bis (dimethylamino)phenazothioniumchloride / aizen methylene blue / basic blue 9 / basic lake blue / C.I.52015 / calcozine blue ZF / chromosmon / D and C blue number 1 / duasyn basic blue IAD / external blue 1 / hidaco methylene blue salt free / leather pure blue HB / methylene blue 2B / methylene blue 2BN / methylene blue chloride / methylene blue polychrome / methylene blue R / methylene blue, zinc free / methylthionine / methylthionine chloride / mitsui methylene blue / sandocryl blue BRL / schultz No. 1038 / solvent blue 8 / swiss blue / tetramethylene blue / tetramethylthionine chloride / urolene blue / yamamoto methylene blue ZF
1.2. Recommended use and res	
Use of the substance/mixture	: For laboratory and manufacturing use only.
Recommended use	: Laboratory chemicals
Restrictions on use	: Not for food, drug or household use
1.3. Supplier	
Zelienople, PA 16063 - USA T 412-826-5230 - F 724-473-0647	ling 1000, 1010 Jackson's Pointe Court
Zelienople, PA 16063 - USA T 412-826-5230 - F 724-473-0647 info@labchem.com - www.labchem.com 1.4. Emergency telephone num	<u>n</u>
Zelienople, PA 16063 - USA T 412-826-5230 - F 724-473-0647 info@labchem.com - www.labchem.cor 1.4. Emergency telephone num Emergency number	m ber : CHEMTREC: 1-800-424-9300 or +1-703-741-5970
Zelienople, PA 16063 - USA T 412-826-5230 - F 724-473-0647 info@labchem.com - www.labchem.cor 1.4. Emergency telephone num Emergency number SECTION 2: Hazard(s) identif	m ber : CHEMTREC: 1-800-424-9300 or +1-703-741-5970 ication
Zelienople, PA 16063 - USA T 412-826-5230 - F 724-473-0647 info@labchem.com - www.labchem.cor 1.4. Emergency telephone num Emergency number SECTION 2: Hazard(s) identif 2.1. Classification of the substa	m ber : CHEMTREC: 1-800-424-9300 or +1-703-741-5970 ication
Zelienople, PA 16063 - USA T 412-826-5230 - F 724-473-0647 info@labchem.com - www.labchem.cor 1.4. Emergency telephone num Emergency number SECTION 2: Hazard(s) identif 2.1. Classification of the substa GHS US classification	m ber : CHEMTREC: 1-800-424-9300 or +1-703-741-5970 ication ance or mixture
Zelienople, PA 16063 - USA T 412-826-5230 - F 724-473-0647 info@labchem.com - www.labchem.cor 1.4. Emergency telephone num Emergency number SECTION 2: Hazard(s) identif 2.1. Classification of the substa GHS US classification Acute toxicity (oral) Category 4 Hazardous to the aquatic environment	m ber : CHEMTREC: 1-800-424-9300 or +1-703-741-5970 ication ince or mixture - Acute Hazard Category 2 H302 Harmful if swallowed H302 Harmful if swallowed
Zelienople, PA 16063 - USA T 412-826-5230 - F 724-473-0647 info@labchem.com - www.labchem.cor 1.4. Emergency telephone num Emergency number SECTION 2: Hazard(s) identif 2.1. Classification of the substa GHS US classification Acute toxicity (oral) Category 4 Hazardous to the aquatic environment - Full text of H statements : see section 1	Der : CHEMTREC: 1-800-424-9300 or +1-703-741-5970 ication ince or mixture - Acute Hazard Category 2 H302 Harmful if swallowed H302 Harmful if swallowed H401 Toxic to aquatic life 16
Zelienople, PA 16063 - USA T 412-826-5230 - F 724-473-0647 info@labchem.com - www.labchem.cor 1.4. Emergency telephone num Emergency number SECTION 2: Hazard(s) identif 2.1. Classification of the substa GHS US classification Acute toxicity (oral) Category 4 Hazardous to the aquatic environment Full text of H statements : see section 1 2.2. GHS Label elements, includ	m ber : CHEMTREC: 1-800-424-9300 or +1-703-741-5970 ication ince or mixture - Acute Hazard Category 2 H302 Harmful if swallowed H302 Harmful if swallowed
Zelienople, PA 16063 - USA T 412-826-5230 - F 724-473-0647 info@labchem.com - www.labchem.cor 1.4. Emergency telephone num Emergency number SECTION 2: Hazard(s) identif 2.1. Classification of the substa GHS US classification Acute toxicity (oral) Category 4 Hazardous to the aquatic environment Full text of H statements : see section 1 2.2. GHS Label elements, includ GHS US labeling	Der : CHEMTREC: 1-800-424-9300 or +1-703-741-5970 ication ince or mixture - Acute Hazard Category 2 H302 Harmful if swallowed H302 Harmful if swallowed H401 Toxic to aquatic life 16
Zelienople, PA 16063 - USA T 412-826-5230 - F 724-473-0647 info@labchem.com - www.labchem.cor 1.4. Emergency telephone num Emergency number SECTION 2: Hazard(s) identif 2.1. Classification of the substa GHS US classification Acute toxicity (oral) Category 4 Hazardous to the aquatic environment Full text of H statements : see section 1 2.2. GHS Label elements, includ GHS US labeling	Der : CHEMTREC: 1-800-424-9300 or +1-703-741-5970 ication ince or mixture - Acute Hazard Category 2 H302 Harmful if swallowed H302 Harmful if swallowed H401 Toxic to aquatic life 16
Zelienople, PA 16063 - USA T 412-826-5230 - F 724-473-0647 info@labchem.com - www.labchem.cor 1.4. Emergency telephone num Emergency number SECTION 2: Hazard(s) identif 2.1. Classification of the substa GHS US classification Acute toxicity (oral) Category 4 Hazardous to the aquatic environment - Full text of H statements : see section 1 2.2. GHS Label elements, includ GHS US labeling Hazard pictograms (GHS US)	Der : CHEMTREC: 1-800-424-9300 or +1-703-741-5970 ication ince or mixture - Acute Hazard Category 2 H302 Harmful if swallowed H302 Harmful if swallowed H401 Toxic to aquatic life 16
Zelienople, PA 16063 - USA T 412-826-5230 - F 724-473-0647 info@labchem.com - www.labchem.cor 1.4. Emergency telephone num Emergency number SECTION 2: Hazard(s) identif 2.1. Classification of the substa GHS US classification Acute toxicity (oral) Category 4 Hazardous to the aquatic environment Full text of H statements : see section 1 2.2. GHS Label elements, includ	Der : CHEMTREC: 1-800-424-9300 or +1-703-741-5970 ication ince or mixture - Acute Hazard Category 2 H302 Harmful if swallowed - Acute Hazard Category 2 H401 Toxic to aquatic life 16 ting precautionary statements : CHEMTREC: 1-800-424-9300 or +1-703-741-5970

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

cording to Federal Register / Vol. 77, No. 58 / Monday,	March 20, 2012 / Rules and Regula	alions		
2.4. Unknown acute toxicity (GHS US)				
Not applicable				
SECTION 3: Composition/Information	n on ingredients			
3.1. Substances	. Mana constituent			
Substance type	: Mono-constituent	Due due (i deu (iffen	0/	
Name Methylene Blue		Product identifier (CAS-No.) 61-73-4	% 100	GHS US classification Acute Tox. 4 (Oral), H302
(Main constituent)		(040-110.) 01 70 4	100	Aquatic Acute 2, H401
Full text of hazard classes and H-statements : se	e section 16			
3.2. Mixtures				
Not applicable				
SECTION 4: First-aid measures				
4.1. Description of first aid measures	.			
First-aid measures general	arrest: artificial respiration of with labored breathing: half Vomiting: prevent asphyxia	or oxygen. Cardiac arres -seated. Victim in shock /aspiration pneumonia. I ig the victim. Give psych	t: perform : on his ba Prevent co ological ai	oling by covering the victim (no d. Keep the victim calm, avoid
First-aid measures after inhalation	: Remove the victim into fres			
First-aid measures after skin contact	: Rinse with water. Soap may	,		
First-aid measures after eye contact	apply neutralizing agents. T	Take victim to an ophtha	mologist if	•
First-aid measures after ingestion	conscious: immediately ind	uce vomiting. Call Poiso onsult a doctor/medical	n Informat	of water to drink. Victim is fully on Centre ou feel unwell. Ingestion of large
I.2. Most important symptoms and effect	ts (acute and delayed)			
Potential Adverse human health effects and symptoms	: Harmful if swallowed. Sligh	tly irritant to eyes.		
Symptoms/effects after skin contact	: May stain the skin. Photoal	••		
Symptoms/effects after eye contact Symptoms/effects after ingestion	: Redness of the eye tissue.	0		
symptoms/enects after ingestion	: AFTER ABSORPTION OF LARGE QUANTITIES: Irritation of the oral mucous membranes. Nausea. Vomiting. Abdominal pain. Diarrhoea. Change in the blood composition. Methemoglobinemia. Headache. Dizziness. Respiratory difficulties.			
I.3. Immediate medical attention and spe	cial treatment, if necessary			
lo additional information available				
SECTION 5: Fire-fighting measures				
5.1. Suitable (and unsuitable) extinguish	ing media			
Suitable extinguishing media	: Adapt extinguishing media	to the environment for s	urrounding	fires.
5.2. Specific hazards arising from the ch	emical			
Fire hazard	: DIRECT FIRE HAZARD. N	on combustible.		
5.3. Special protective equipment and pr	ecautions for fire-fighters			
Precautionary measures fire	: Exposure to fire/heat: keep fire/heat: have neighbourho			sider evacuation. Exposure to
Firefighting instructions	: Dilute toxic gases with wate water. Use water moderate	er spray. Take account c	f environm or contain	entally hazardous firefighting it.
Protection during firefighting	: Heat/fire exposure: compre	essed air/oxygen apparat	us.	
SECTION 6: Accidental release meas	ures			
6.1. Personal precautions, protective equ	ipment and emergency proc	cedures		
6.1.1. For non-emergency personnel				
Protective equipment	: Gloves. Protective clothing.	. Dust cloud production:	compresse	ed air/oxygen apparatus.
Emergency procedures	: Mark the danger area. Prev clothes.	vent dust cloud formatior	n. No nake	d flames. Wash contaminated

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	aion 20, 2012 / Naics and Negalations
Measures in case of dust release :	In case of dust production: keep upwind. Dust production: have neighbourhood close doors and windows.
6.1.2. For emergency responders	
Protective equipment :	Equip cleanup crew with proper protection. Do not breathe dust.
Emergency procedures :	Stop release. Ventilate area.
6.2. Environmental precautions	
Prevent soil and water pollution. Prevent spreading	in sewers.
6.3. Methods and material for containment	and cleaning up
For containment :	Contain released substance, pump into suitable containers. Plug the leak, cut off the supply. Dam up the solid spill. Knock down/dilute dust cloud with water spray.
Methods for cleaning up :	Stop dust cloud by covering with sand/earth. Scoop solid spill into closing containers. Carefully collect the spill/leftovers. Clean contaminated surfaces with an excess of water. Wash clothing and equipment after handling.
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling :	Avoid raising dust. Keep away from naked flames/heat. Carry operations in the open/under local exhaust/ventilation or with respiratory protection. Comply with the legal requirements. Clean contaminated clothing. Do not discharge the waste into the drain.
Hygiene measures :	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
7.2. Conditions for safe storage, including	any incompatibilities
Heat-ignition :	KEEP SUBSTANCE AWAY FROM: heat sources.
Prohibitions on mixed storage :	KEEP SUBSTANCE AWAY FROM: oxidizing agents. reducing agents. (strong) bases.
Storage area :	Store in a dry area. Provide the tank with earthing. Meet the legal requirements.
Special rules on packaging :	SPECIAL REQUIREMENTS: correctly labelled. meet the legal requirements. Secure fragile packagings in solid containers.
Packaging materials :	SUITABLE MATERIAL: glass.
SECTION 8: Exposure controls/persor	nal protection
8.1. Control parameters	
No additional information available	
8.2. Appropriate engineering controls	
Appropriate engineering controls :	Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure.
8.3. Individual protection measures/Person	nal protective equipment
Personal protective equipment:	
Gloves. Safety glasses. Dust production: dust masl	k with filter type P2
Materials for protective clothing:	
GIVE GOOD RESISTANCE: PVC	
Hand protection:	
Gloves	
Eye protection:	
Safety glasses. In case of dust production: protec	tive goggles
Skin and body protection:	
Protective clothing	
-	
Respiratory protection:	
00/45/2040	ENI (English LIS)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Dust production: dust mask with filter type P2

Personal protective equipment symbol(s):



SECTION 9: Physical and chemical properties			
9.1. Information on basic physical and chemical properties			
Physical state	: Solid		
Appearance	: Crystalline solid. Crystalline powder.		
Color	: Dark green-blue		
Odor	: Almost odourless		
Odor threshold	: No data available		
рН	: 4 (1 %)		
Melting point	: 190 °C		
Freezing point	: No data available		
Boiling point	: Not applicable		
Flash point	: Not applicable		
Relative evaporation rate (butyl acetate=1)	: No data available		
Flammability (solid, gas)	: No data available		
Vapor pressure	: < 0.1 hPa (20 °C)		
Relative vapor density at 20 °C	: Not applicable		
Relative density	: No data available		
Molecular mass	: 319.88 g/mol		
Solubility	: Moderately soluble in water. Soluble in chloroform. Soluble in acetic acid. Soluble in glycerol. Water: 2.5 g/100ml Ethanol: 1.5 g/100ml Acetone: 0.5 g/100ml		
Log Pow	: 5.85 (Estimated value)		
Auto-ignition temperature	: No data available		
Decomposition temperature	: 190 °C		
Viscosity, kinematic	: No data available		
Viscosity, dynamic	: No data available		
Explosion limits	: No data available		
Explosive properties	: No data available		
Oxidizing properties	: No data available		
9.2. Other information			
VOC content	: 0%		
Other properties	: Substance has acid reaction.		

SECTION 10: Stability and reactivity			
10.1. F	Reactivity		
No addition	al information available		
10.2. C	Chemical stability		
Stable und	er normal conditions.		
10.3. F	Possibility of hazardous reactions		
Not establis	shed.		
10.4. C	Conditions to avoid		
Lloot Incor	nnatible materiale. Avoid dust formation		

Heat. Incompatible materials. Avoid dust formation.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.5. Incompatible materials				
Strong oxidizers. Strong reducing agents. Strong bases.				
10.6. Hazardous decomposition products				
No additional information available				
SECTION 11: Toxicological informat	SECTION 11: Toxicological information			
11.1. Information on toxicological effects				
Acute toxicity (oral)	: Harmful if swallowed.			
Acute toxicity (dermal)	: Not classified			
Acute toxicity (inhalation)	: Not classified			
Methylene Blue (61-73-4)				
LD50 oral rat	1180 mg/kg (Rat, Oral)			
ATE US (oral)	1180 mg/kg body weight			
Skin corrosion/irritation	: Not classified			
	pH: 4 (1 %)			
Serious eye damage/irritation	: Not classified			
	pH: 4 (1 %)			
Respiratory or skin sensitization	: Not classified			
Germ cell mutagenicity	: Not classified			
Carcinogenicity	: Not classified			
Reproductive toxicity	: Not classified			
Specific target organ toxicity – single exposure	: Not classified			
Specific target organ toxicity – repeated exposure	: Not classified			
Aspiration hazard	: Not classified			
Viscosity, kinematic	: No data available			
Likely routes of exposure	: Inhalation. Skin and eye contact.			
Potential Adverse human health effects and symptoms	: Harmful if swallowed. Slightly irritant to eyes.			
Symptoms/effects after skin contact	: May stain the skin. Photoallergy.			
Symptoms/effects after eye contact	: Redness of the eye tissue. Lacrimation. Slight irritation.			
Symptoms/effects after ingestion	: AFTER ABSORPTION OF LARGE QUANTITIES: Irritation of the oral mucous membranes. Nausea. Vomiting. Abdominal pain. Diarrhoea. Change in the blood composition. Methemoglobinemia. Headache. Dizziness. Respiratory difficulties.			

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: Not classified as dangerous for the environment according to the criteria of Regulation (EC) No 1272/2008.
Ecology - air	: Photodegradation in the air. Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009).
Ecology - water	: Toxic to crustacea. Harmful to fishes. Water pollutant (surface water). Inhibition of activated sludge. pH shift. Harmful to plankton.
Methylene Blue (61-73-4)	
LC50 fish 1	18 mg/l (96 h, Mystus vittatus)
EC50 Daphnia 1	2.26 mg/l (48 h, Daphnia magna)
12.2. Persistence and degradability	
Methylene Blue (61-73-4)	
Persistence and degradability	Biodegradability in water: no data available.
12.3. Bioaccumulative potential	
Methylene Blue (61-73-4)	
Log Pow	5.85 (Estimated value)
Bioaccumulative potential	Not bioaccumulative.
08/15/2019	EN (English US) 5/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.4.	Mobility in soil
	ional information available
12.5.	Other adverse effects
No additi	ional information available

13.1. Disposal methods	
Waste disposal recommendations Additional information	 Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Remove to an incinerator for chlorinated waste materials with energy recovery. Dissolve or mix with a combustible solvent. Hazardous waste according to Directive 2008/98/EC, as amended by Regulation (EU) No
	1357/2014 and Regulation (EU) No 2017/997.
SECTION 14: Transport information	tion
Department of Transportation (DOT)	
In accordance with DOT	
Not regulated	
Transportation of Dangerous Goods	
Not regulated	
Transport by sea	
Not regulated	
Air transport	
Not regulated	
SECTION 15: Regulatory inform	ation
15.1. US Federal regulations	
Methylene Blue (61-73-4)	
Listed on the United States TSCA (Toxic	
SARA Section 311/312 Hazard Classes	Health hazard - Acute toxicity (any route of exposure)

15.2. International regulations

CANADA

Methylene Blue (61-73-4)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations No additional information available

National regulations No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date

: 08/15/2019

Full text of H-phrases: see section 16:

	H302	Harmful if swallowed
	H401	Toxic to aquatic life
NF	PA health hazard	: 1 - Materials that, under emergency conditions, can cause significant irritation.
NF	PA fire hazard	: 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.
NF	PA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.
Haz	ard Rating	
Hea	llth	: 1 Slight Hazard - Irritation or minor reversible injury possible
Flar	nmability	: 0 Minimal Hazard - Materials that will not burn
Phy	sical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NO react with water, polymerize, decompose, condense, or self-react. Non-Explosives.
Per	sonal protection	: E
		E - Safety glasses, Gloves, Dust respirator

SDS US LabChem

Information in this SDS is from available published sources and is believed to be accurate. No warranty, express or implied, is made and LabChem Inc assumes no liability resulting from the use of this SDS. The user must determine suitability of this information for his application.